

6. Applications

6.9 Food industry



Lubrication of a vertical bearing on a produce cleaning station for peas.



Lubrication of a vertical bearing with a 60ml lubricator, which is attached directly to the bearing.



Lubrication of a chain on a conveyer. The oil is fed through the tubes to the brushes.

6. Applications

6.9 Food industry



The Meurer Conveyor System lubricated by simalube.



simalube lubricator filled with oil, which is used to lubricate a chain.



Image left and right: simalube lubricators mounted to the outside of a machine with a clamp.

6. Applications

6.9 Food industry



Lubrication of a flange bearing in the beverage and bottling industry.



Lubrication of a flange bearing: Grease is pressed from the lubricator through a tube to the lubrication point.



Lubrication of a flange bearing on a conveyer used for the transportation of bottles.

6. Applications

6.9 Food industry


The bearing on a drive mechanism lubricated with 60ml simalube lubricators.



Lubrication of a bearing at the point of deviation on a conveyer system.



*Image left:
gear lubrication.*
*Image right:
lubrication of a chain on a pallet
conveyer.*



6. Applications

6.9 Food industry

Four simalube 125ml arranged centrally. Lubrication of bearings in a baked-goods factory.



Lubrication of a swivel plate at a slaughter house.



The grease is applied centrally to the axle-bearing. The lubricators are filled with organic grease.



6. Applications

6.9 Food industry



Lubrication of a bearing on an industrial vegetable washing station.



Lubrication with the NSK compliant organic grease SL14.



simalube installed with the accessory material „Bent connection 90°“.